

## WEST Search History

DATE: Monday, March 15, 2004

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L5	l2 and floor	55
		<i>DB=EPAB; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L4	AU-9955118-A.did.	0
		<i>DB=EPAB,JPAB,DWPI; PLUR=YES; OP=AND</i>	
<input type="checkbox"/>	L3	L2 and (van or minivan)	8
<input type="checkbox"/>	L2	l1 and wheelchair	140
<input type="checkbox"/>	L1	(A61G003/06 )![IPC]	289

END OF SEARCH HISTORY

## Hit List

Number of  
documents to display is limited to 10 for FULL format

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: AU 9474438 A , NZ 270844 A, AU 669082 B

L1: Entry 1 of 1

File: DWPI

May 11, 1995

DERWENT-ACC-NO: 1995-200616

DERWENT-WEEK: 199631

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Wheelchair storage for vehicle - has access at rear of vehicle, with opening closed by tailgate hinged on roof and foldable ramp attached to floor, and floor area and roof line for wheelchair respectively at lower and raised level than that of remainder of vehicle

INVENTOR: KITE, K R

PATENT-ASSIGNEE:

ASSIGNEE

CODE

COOPER J L

COOPI

KITE K R

KITEI

PRIORITY-DATA: 1993AU-0001612 (October 5, 1993), 1995NZ-0270844 (March 30, 1995)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>AU 9474438 A</u>	May 11, 1995		014	A61G003/08
<u>NZ 270844 A</u>	June 25, 1996		000	A61G003/00
<u>AU 669082 B</u>	May 23, 1996		000	A61G003/08

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
AU 9474438A	October 5, 1994	1994AU-0074438	
NZ 270844A	March 30, 1995	1995NZ-0270844	
AU 669082B	October 5, 1994	1994AU-0074438	
AU 669082B		AU 9474438	Previous Publ.

INT-CL (IPC): A61 G 3/00; A61 G 3/06; A61 G 3/08; B60 P 1/43; B60 P 3/06

ABSTRACTED-PUB-NO: AU 9474438A

BASIC-ABSTRACT:

The wheelchair transport vehicle provides access from the rear of the vehicle. The access opening is closed by a tailgate hinged on the roof line of the vehicle and a foldable ramp attached to the floor of the rear portion of the vehicle.

The floor area for the wheelchair is at a lower level than the floor area of the remainder of the vehicle. The roof line of the vehicle over the lowered floor area is raised above the roof line of the remainder of the vehicle.

ADVANTAGE - Simple modification to passenger vehicle. Wheel chair and occupant can enter in direction of travel of vehicle. Access is provided without interfering with position of normal seats of vehicle, and without restricting number of passengers which can be carried by vehicle.

CHOSEN-DRAWING: Dwg.3/5

TITLE-TERMS: WHEELCHAIR STORAGE VEHICLE ACCESS REAR VEHICLE OPEN CLOSE TAILGATE  
HINGE ROOF FOLD RAMP ATTACH FLOOR FLOOR AREA ROOF LINE WHEELCHAIR RESPECTIVE LOWER  
RAISE LEVEL REMAINING VEHICLE

DERWENT-CLASS: P33 Q15 X22

EPI-CODES: X22-X;

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1995-157666

Full	Title	Citation	Front	Review	Classification	Date	Reference	Summary	Abstracts	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	---------	-----------	--------	------	---------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Terms	Documents
au-9474438-\$.did.	1

Display Format: FULL

Change Format

[Previous Page](#)[Next Page](#)[Go to Doc#](#)